Claims

Applicants provide a complete listing of the pending claims for the Examiner's assistance.

1. (Original) A gaming system for conducting a wagering game, the gaming system comprising:

a plurality of terminal units, each of the terminal units comprising:

an input device for inputting a plurality of input selections; and
a terminal unit controller operatively coupled to the input device; and
a host computer operatively coupled to the plurality of terminal units, the host
computer comprising a host computer controller,

the terminal unit controller being programmed to allow the input device to receive player input corresponding to a first entry for a player for at least one occurrence of the wagering game, wherein the first entry comprises a first subset containing at least one and less than a predetermined maximum number of game indicia selected from a range of game indicia, wherein each game indicia in the range is unique, and wherein each game indicia in the first subset is unique,

one of the terminal unit controller and the host computer controller being programmed to randomly select a supplemental entry for the player for the at least one occurrence of the wagering game, wherein the supplemental entry comprises a second subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the number of game indicia in the first subset, wherein each game indicia in the second subset is unique and no game indicia in the second subset is contained in the first subset,

the host computer controller being programmed to randomly select a drawing subset comprising a predetermined selected number of game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is randomly selected independently of the game indicia of the first subset and the second subset of the player,

one of the terminal unit controller and the host computer controller being programmed to compare the game indicia of the drawing subset to the game indicia of the first subset of the first entry, and to determine whether the first entry is a first winning entry based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset, and

one of the terminal unit controller and the host computer controller being programmed to compare the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first subset and the second subset, and to determine whether the combined game entry is a second winning entry based on the level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

2. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein the player input is a request for the gaming system to automatically determine the first entry for the player and a specification of the number of game indicia to be selected for the first subset, wherein the terminal unit controller is programmed to allow the input device to receive the request to automatically determine the first entry for the player and the specification of the number of game indicia to be selected for the first subset from the player, and wherein one of the terminal unit

controller and the host computer controller is programmed to randomly select the number of game indicia specified by the player for the first entry in response to receiving the request and the specification from the player at the input device.

- 3. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein the player input is at least one and less than the predetermined maximum number of game indicia, wherein the terminal unit controller is programmed to allow the input device to receive the at least one and less than the predetermined maximum number of game indicia from the player as the first entry.
- 4. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein the game indicia comprises the range of whole numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined selected number is 20.
- 5. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein one of the terminal unit controller and the host computer controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset

in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the greater of the first prize amount and the second prize amount in response to determining that the first entry and the supplemental entry are winning entries.

6. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein one of the terminal unit controller and the host computer controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the sum of the first prize amount and the second prize

amount in response to determining that the first entry and the supplemental entry are winning entries.

- 7. (Original) A gaming system for conducting a wagering game in accordance with claim 1, wherein one of the terminal unit controller and the host computer controller is programmed to determine a second total prize amount equal to a progressive jackpot in response to determining each of the game indicia of the combined game entry is matched by game indicia in the drawing subset.
- 8. (Original) A method for conducting a wagering game, comprising:
 receiving player input corresponding to a first entry for a player for at least one
 occurrence of the wagering game, wherein the first entry comprises a first subset
 containing at least one and less than a predetermined maximum number of game
 indicia selected from a range of game indicia, wherein each game indicia in the range is
 unique, and wherein each game indicia in the first subset is unique;

randomly selecting a supplemental entry for the player for the at least one occurrence of the wagering game, wherein the supplemental entry comprises a second subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the number of game indicia in the first subset, wherein each game indicia in the second subset is unique and no game indicia in the second subset is contained in the first subset;

randomly selecting a drawing subset comprising a predetermined selected number of game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is

comparing the game indicia of the drawing subset to the game indicia of the first subset of the first entry;

determining whether the first entry is a first winning entry based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset;

comparing the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first subset of the first entry and the second subset of the supplemental entry; and

determining whether the combined game entry is a second winning entry based on the level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

9. (Original) A method for conducting a wagering game in accordance with claim 8, wherein the player input is a request for the gaming system to automatically determine the first entry for the player and a specification of the number of game indicia to be selected for the first subset, the method comprising:

receiving the request to automatically determine the first entry for the player and a specification of the number of game indicia to be selected for the first subset from the player; and

randomly selecting the number of game indicia specified by the player for the first entry in response to receiving the request and the specification from the player.

- 10. (Original) A method for conducting a wagering game in accordance with claim 8, wherein the player input is at least one and less than the predetermined maximum number of game indicia, the method comprising receiving the at least one and less than the predetermined maximum number of game indicia from the player as the first entry.
- 11. (Original) A method for conducting a wagering game in accordance with claim 8, wherein the game indicia comprises the range of whole numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined selected number is 20.
- 12. (Original) A method for conducting a wagering game in accordance with claim 8, comprising:

comparing the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry;

determining whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset;

determining a first prize amount based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset in response to determining that the first entry is a winning entry;

determining a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry; and determining a first total prize amount equal to the greater of the first prize amount and the second prize amount in response to determining that the first entry and the supplemental entry are winning entries.

13. (Original) A method for conducting a wagering game in accordance with claim 8, comprising:

comparing the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry;

determining whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset;

determining a first prize amount based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset in response to determining that the first entry is a winning entry;

determining a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry; and

determining a first total prize amount equal to the sum of the first prize amount and the second prize amount in response to determining that the first entry and the supplemental entry are winning entries.

14. (Original) A method for conducting a wagering game in accordance with claim 8, comprising determining a second total prize amount equal to a progressive jackpot in response to determining that each of the game indicia of the combined game

entry is matched by game indicia in the drawing subset.

15. (Original) A terminal unit for conducting a wagering game, the terminal unit being operatively connected to a host computer of a gaming network having a plurality of terminal units, the terminal unit comprising:

an input device for inputting a plurality of input selections; and a terminal unit controller operatively coupled to the input device,

the terminal unit controller being programmed to allow the input device to receive player input corresponding to a first entry for a player for at least one occurrence of the wagering game, wherein the first entry comprises a first subset containing at least one and less than a predetermined maximum number of game indicia selected from a range of game indicia, wherein each game indicia in the range is unique, and wherein each game indicia in the first subset is unique,

the terminal unit controller being programmed to randomly select a supplemental entry for the player for the at least one occurrence of the wagering game, wherein the supplemental entry comprises a second subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the number of game indicia in the first subset, wherein each game indicia in the second subset is unique and no game indicia in the second subset is contained in the first subset,

the terminal unit controller being programmed to compare the game indicia of a drawing subset of game indicia to the game indicia of the first subset of the first entry, and to determine whether the first entry is a first winning entry based on the level of correspondence between the game indicia of the first subset and the game

indicia of the drawing subset, wherein the drawing subset of game indicia comprises a predetermined number of randomly selected game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is selected independently of the game indicia of the first

subset and the second subset of the player, and

the terminal unit controller being programmed to compare the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first subset of the first entry and the second subset of the supplemental entry, and to determine whether the combined game entry is a second winning entry based on the level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

- 16. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the player input is a request for the gaming system to automatically determine the first entry for the player and a specification of the number of game indicia to be selected for the first subset, wherein the terminal unit controller is programmed to allow the input device to receive the request to automatically determine the first entry for the player and a specification of the number of game indicia to be selected for the first subset from the player, and wherein the terminal unit controller is programmed to randomly select the number of game indicia specified by the player for the first entry in response to receiving the request and the specification from the player at the input device.
 - 17. (Original) A terminal unit for conducting a wagering game in accordance

with claim 15, wherein the player input is at least one and less than the predetermined maximum number of game indicia, wherein the terminal unit controller is programmed to allow the input device to receive the at least one and less than the predetermined maximum number of game indicia from the player as the first entry.

- 18. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the game indicia comprises the range of whole numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined number of randomly selected game indicia for the drawing subset is 20.
- with claim 15, wherein the terminal unit controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein the terminal unit controller is programmed to determine a first prize amount based on the level of correspondence between the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein the terminal unit controller is programmed to determine a first total prize amount equal to the greater of the first prize amount and the second prize amount in response to determining that the

first entry and the supplemental entry are winning entries.

- 20. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the terminal unit controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein the terminal unit controller is programmed to determine a first prize amount based on the level of correspondence between the game indicia of the first subset and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein the terminal unit controller is programmed to determine a first total prize amount equal to the sum of the first prize amount and the second prize amount in response to determining that the first entry and the supplemental entry are winning entries.
- 21. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the terminal unit controller is programmed to determine a second total prize amount equal to a progressive jackpot in response to determining that each of the game indicia of the combined game entry is matched by game indicia in the drawing subset.

- 22. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the terminal unit controller is programmed to randomly select the game indicia for the drawing subset.
- 23. (Original) A terminal unit for conducting a wagering game in accordance with claim 15, wherein the host computer transmits the drawing subset of game indicia to the terminal units, and wherein the terminal unit controller is programmed to receive the drawing subset transmitted by the host computer.
- 24. (Original) A gaming system for conducting a wagering game, the gaming system comprising:

a plurality of terminal units, each of the terminal units comprising:

an input device for inputting a plurality of input selections; and
a terminal unit controller operatively coupled to the input device; and
a host computer operatively coupled to the plurality of terminal units, the host
computer comprising a host computer controller,

the terminal unit controller being programmed to allow the input device to receive player input corresponding to at least one first entry for a player for at least one occurrence of the wagering game, wherein each first entry comprises a subset containing at least one and less than a predetermined maximum number of game indicia selected from a range of game indicia, wherein each game indicia in the range is unique, wherein each game indicia in each first entry is unique, wherein no game indicia in any of the first entries is contained in any other one of the first entries, and wherein

the total number of indicia in all the first entries is less than or equal to the predetermined maximum number,

one of the terminal unit controller and the host computer controller being programmed to randomly select a supplemental entry for the player for the at least one occurrence of the wagering game in response to the total number of indicia in all the first entries being less than the predetermined maximum number, wherein the supplemental entry comprises a subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the total number of indicia in all the first entries, wherein each game indicia in the supplemental entry is unique and no game indicia in the supplemental entry is contained in any of the first entries,

the host computer controller being programmed to randomly select a drawing subset comprising a predetermined selected number of game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is selected independently of the game indicia of the first entries and the supplemental entry of the player,

one of the terminal unit controller and the host computer controller being programmed to compare the game indicia of the drawing subset to the game indicia of the first entries, and to determine whether any of the first entries is a winning entry based on the level of correspondence between the game indicia of the first entry and the game indicia of the drawing subset, and

one of the terminal unit controller and the host computer controller being programmed to compare the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first entries and the supplemental entry, and to determine whether the combined game entry is a second winning entry based on the

level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

- 25. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein the player input is a request for the gaming system to automatically determine the first entries for the player and a specification of the number of game indicia to be selected for each first entry, wherein the terminal unit controller is programmed to allow the input device to receive the request to automatically determine the first entries for the player and the specification of the number of game indicia to be selected for each first entry from the player, and wherein one of the terminal unit controller and the host computer controller is programmed to randomly select the number of game indicia specified by the player for each first entry in response to receiving the request and the specification from the player at the input device.
- 26. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein the player input is at least one and less than the predetermined maximum number of game indicia for each first entry, wherein the terminal unit controller is programmed to allow the input device to receive the at least one and less than the predetermined maximum number of game indicia from the player for each first entry.
- 27. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein the game indicia comprises the range of whole

numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined selected number is 20.

- 28. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein one of the terminal unit controller and the host computer controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the greater of the largest first prize amount and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.
- 29. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein one of the terminal unit controller and the host computer controller is programmed to compare the game indicia of the drawing subset

to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the sum of the first prize amounts and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.

30. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the largest first prize amount in response to determining that at least one first entry is a winning entry.

- 31. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein one of the terminal unit controller and the host computer controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and wherein one of the terminal unit controller and the host computer controller is programmed to determine a first total prize amount equal to the sum of the first prize amounts in response to determining that at least one first entry is a winning entry.
- 32. (Original) A gaming system for conducting a wagering game in accordance with claim 24, wherein one of the terminal unit controller and the host computer controller is programmed to determine a second total prize amount equal to a progressive jackpot in response to determining each of the game indicia of the combined game entry is matched by game indicia in the drawing subset.
- 33. (Original) A method for conducting a wagering game, comprising:
 receiving player input corresponding to at least one first entry for a player for at
 least one occurrence of the wagering game, wherein each first entry comprises a subset
 containing at least one and less than a predetermined maximum number of game
 indicia selected from a range of game indicia, wherein each game indicia in the range is
 unique, wherein each game indicia in each first entry is unique, wherein no game indicia
 in any of the first entries is contained in any other one of the first entries, and wherein

the total number of indicia in all the first entries is less than or equal to the predetermined maximum number;

randomly selecting a supplemental entry for the player for the at least one occurrence of the wagering game in response to the total number of indicia in all the first entries being less than the predetermined maximum number, wherein the supplemental entry comprises a subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the total number of indicia in all the first entries, wherein each game indicia in the supplemental entry is unique and no game indicia in the supplemental entry is contained in any of the first entries;

randomly selecting a drawing subset comprising a predetermined selected number of game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is selected independently of the game indicia of the first entries and the supplemental entry of the player;

comparing the game indicia of the drawing subset to the game indicia of the first entries;

determining whether any of the first entries is a winning entry based on the level of correspondence between the game indicia of the first entry and the game indicia of the drawing subset;

comparing the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first entries and the supplemental entry; and

determining whether the combined game entry is a second winning entry based on the level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

34. (Original) A method for conducting a wagering game in accordance with claim 33, wherein the player input is a request for the gaming system to automatically determine the first entries for the player and a specification of the number of game indicia to be selected for each first entry, the method comprising:

receiving the request to automatically determine the first entries for the player and the specification of the number of game indicia to be selected for each first entry from the player; and

randomly selecting the number of game indicia specified by the player for each first entry in response to receiving the request and the specification from the player.

- 35. (Original) A method for conducting a wagering game in accordance with claim 33, wherein the player input is at least one and less than the predetermined maximum number of game indicia for each entry, the method comprising receiving the at least one and less than the predetermined maximum number of game indicia from the player for each first entry.
- 36. (Original) A method for conducting a wagering game in accordance with claim 33, wherein the game indicia comprises the range of whole numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined selected number is 20.

37. (Original) A method for conducting a wagering game in accordance with claim 33, comprising:

comparing the game indicia of the drawing subset to the game indicia of the supplemental entry;

determining whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the supplemental entry and the game indicia of the drawing subset;

determining a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry;

determining a second prize amount based on the level of correspondence between the game indicia of the supplemental entry and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry; and

determining a first total prize amount equal to the greater of the largest first prize amount and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.

38. (Original) A method for conducting a wagering game in accordance with claim 33, comprising:

comparing the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry;

determining whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset;

determining a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry;

determining a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry; and

determining a first total prize amount equal to the sum of the first prize amounts and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.

39. (Original) A method for conducting a wagering game in accordance with claim 33, comprising:

determining a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry; and determining a first total prize amount equal to the largest first prize amount in response to determining that at least one first entry is a winning entry.

40. (Original) A method for conducting a wagering game in accordance with claim 33, comprising:

determining a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry; and

determining a first total prize amount equal to the sum of the first prize amounts in response to determining that at least one first entry is a winning entry.

- 41. (Original) A method for conducting a wagering game in accordance with claim 33, comprising determining a second total prize amount equal to a progressive jackpot in response to determining that each of the game indicia of the combined game entry is matched by game indicia in the drawing subset.
- 42. (Original) A terminal unit for conducting a wagering game, the terminal unit being operatively connected to a host computer of a gaming network having a plurality of terminal units, the terminal unit comprising:

an input device for inputting a plurality of input selections; and a terminal unit controller operatively coupled to the input device,

the terminal unit controller being programmed to allow the input device to receive player input corresponding to at least one first entry for a player for at least one occurrence of the wagering game, wherein each first entry comprises a subset containing at least one and less than a predetermined maximum number of game indicia selected from a range of game indicia, wherein each game indicia in the range is unique, wherein each game indicia in each first entry is unique, wherein no game indicia in any of the first entries is contained in any other one of the first entries, and wherein the total number of indicia in all the first entries is less than or equal to the predetermined maximum number.

the terminal unit controller being programmed to randomly select a supplemental entry for the player for the at least one occurrence of the wagering game in response to

the total number of indicia in all the first entries being less than the predetermined maximum number, wherein the supplemental entry comprises a subset containing a number of game indicia equal to the predetermined maximum number of game indicia minus the total number of indicia in all the first entries, wherein each game indicia in the supplemental entry is unique and no game indicia in the supplemental entry is contained in any of the first entries,

the terminal unit controller being programmed to compare the game indicia of a drawing subset of game indicia to the game indicia of the first entries, and to determine whether any of the first entries is a winning entry based on the level of correspondence between the game indicia of the first entry and the game indicia of the drawing subset, wherein the drawing subset of game indicia comprises a predetermined number of randomly selected game indicia from the range of game indicia, wherein each indicia in the drawing subset is unique, and wherein the game indicia of the drawing subset is selected independently of the game indicia of the first entries and the supplemental entry of the player, and

the terminal unit controller being programmed to compare the game indicia of the drawing subset to a combined game entry comprising the game indicia of the first entries and the supplemental entry, and to determine whether the combined game entry is a second winning entry based on the level of correspondence between the game indicia of the drawing subset and the game indicia of the combined game entry.

43. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the player input is a request for the gaming system to automatically determine the first entries for the player and a specification of the number

of game indicia to be selected for each first entry, wherein the terminal unit controller is programmed to allow the input device to receive the request to automatically determine the first entries for the player and the specification of the number of game indicia to be selected for each first entry from the player, and wherein the terminal unit controller is programmed to randomly select the number of game indicia specified by the player for each first entry in response to receiving the request and the specification from the player at the input device.

- 44. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the player input is at least one and less than the predetermined maximum number of game indicia for each first entry, wherein the terminal unit controller is programmed to allow the input device to receive the at least one and less than the predetermined maximum number of game indicia from the player for each first entry.
- 45. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the game indicia comprises the range of whole numbers from 1 to 80, the predetermined maximum number is 11 and the predetermined number of randomly selected game indicia for the drawing subset is 20.
- 46. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to compare the game indicia of the drawing subset to the game indicia of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of

correspondence between the game indicia of the supplemental entry and the game indicia of the drawing subset, wherein the terminal unit controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein the terminal unit controller is programmed to determine a first total prize amount equal to the greater of the largest first prize amount and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.

47. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to compare the game indicia of the drawing subset to the game indicia of the second subset of the supplemental entry, and to determine whether the supplemental entry is a winning entry based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset, wherein the terminal unit controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and to determine a second prize amount based on the level of correspondence between the game indicia of the second subset and the game indicia of the drawing subset in response to determining that the supplemental entry is a winning entry, and wherein the

terminal unit controller is programmed to determine a first total prize amount equal to the sum of the first prize amounts and the second prize amount in response to determining that at least one first entry and the supplemental entry are winning entries.

- 48. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and wherein the terminal unit controller is programmed to determine a first total prize amount equal to the largest first prize amount in response to determining that at least one first entry is a winning entry.
- 49. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to determine a first prize amount for each first entry based on the level of correspondence between the game indicia of each first entry and the game indicia of the drawing subset in response to determining that the first entry is a winning entry, and wherein the terminal unit controller is programmed to determine a first total prize amount equal to the sum of the first prize amounts in response to determining that at least one first entry is a winning entry.
- 50. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to determine a second total prize amount equal to a progressive jackpot in response to determining that each

of the game indicia of the combined game entry is matched by game indicia in the drawing subset.

- 51. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the terminal unit controller is programmed to randomly select the game indicia for the drawing subset.
- 52. (Original) A terminal unit for conducting a wagering game in accordance with claim 42, wherein the host computer transmits the drawing subset of game indicia to the terminal units, and wherein the terminal unit controller is programmed to receive the drawing subset transmitted by the host computer.